

SEQUENCE LISTING

<110> Ho, Chien
Tsai, Ching-Hsuan
Fang, Tsuei-Yun
Shen, Tong-Jian

<120> Low Oxygen Affinity Mutant Hemoglobins

<130> 2000-02

<140> US 09/598,218

<141> 2000-06-21

<160> 7

<170> PatentIn Ver. 2.1

<210> 1
<211> 28
<212> DNA
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Primer to
introduce betaN108Q mutation into plasmid pHE2

<400> 1

cgtctgctgg gtcaggtact agtttgcg

28

<210> 2
<211> 30
<212> DNA
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Primer to
introduce mutation alphaD94A into plasmid pHE2

<400> 2

ctgcgtgttg ctccggtaa cttcaaactg

30

<210> 3
<211> 29
<212> DNA
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Primer to
introduce betaL105W mutation into plasmid pHE2

<400> 3

gaaaaacttc cgatggctgg gtaacgtac

29

<210> 4

<211> 27

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Primer to
introduce betaN108Q mutation into plasmid pHE7

<400> 4

acagaccagt acttgtccca ggagcct

27

<210> 5

<211> 1140

<212> DNA

<213> Human

<400> 5

aaatgagctg ttgacaatta atcatcggt cgtataatgt gtggaaattgt gagcggataa 60
caatttcaca caggaaacag aattcgagct cggtacccgg gctacatgga gattaactca 120
atctagaggg tattaataat gtatcgctta aataaggagg aataacatat ggtgctgtct 180
cctgccgaca agaccaacgt caaggccgcc tgggtaagg tcggcgcgca cgctggcgag 240
tatggtgcgg aggcctgga gaggatgttc ctgtccttcc ccaccaccaa gacctacttc 300
ccgcacttcg atctgagcca cggctctgcc caggtaagg gccacgcaa gaagggtggcc 360
gacgcgctga ccaacgcccgt ggccgcacgtg gacgcacatgc ccaacgcgct gtccgcgcctg 420
acgcacactgc acgcgcacaa gttcgggtg gacccggta acttcaagct cctaagccac 480
tgcctgctgg tgaccctggc cgcccacctc cccgcgcagt tcacccctgc ggtgcacgccc 540
tccctggaca agttcctggc ttctgtgagc accgtgctga cctccaaata ccgttaaact 600
agagggatt aataatgtat cgcttaaata aggaggaata acatatggtg cacctgactc 660
ctgaggagaa gtctgcccgtt actgcccgtt gggcaagggt gaacgtggat gaagttggtg 720
gtgaggccct gggcaggctg ctgggtggct acccttggac ccagagggttc tttgagtcct 780
ttggggatct gtccactcct gatgtgtta tggcaaccc taaggtgaag gctcatggca 840
agaaagtgtc cggtgccttt agtgtggcc tggtcacct ggacaacctc aagggcacct 900
ttgccacact gagtgagctg cactgtgaca agctgcacgt ggatccttag aacttcaggc 960
tcctggaca agtactggtc tgtgtgtgg cccatcactt tggcaaagaa ttcaccccac 1020
cagtgcaggc tgccatcag aaagtggtgg ctgggtggc taatgccctg gcccacaagt 1080
atcactaaggc atgcatctgt tttggcggat gagagaagat tttcagcctg atacagatta 1140

<210> 6
<211> 36
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Primer to
introduce betaL105W mutation into plasmid pHE7

<400> 6
cctgagaact tcaggtggct aggcaacgtg ctggtc

36

<210> 7
<211> 1140
<212> DNA
<213> Human

<400> 7
aaatgagctg ttgacaatta atcatcgct cgtataatgt gtggaattgt gagcggataa 60
caatttcaca caggaaacag aattcgagct cggtacccgg gctacatgga gattaactca 120
atctagaggg tattaataat gtatcgctt aataaggagg aataacatat ggtgctgtct 180
cctgccgaca agaccaacgt caaggccgcc tgggttaagg tcggcgcgca cgctggcgag 240
tatggtgccgg aggccctgga gaggatgtt ctgtccttcc ccaccaccaa gacctacttc 300
ccgcacttcg atctgagcca cggctctgcc caggttaagg gccacggcaa gaaggtggcc 360
gacgcgctga ccaacgcccgt ggccgcacgtg gacgacatgc ccaacgcgct gtccgcctg 420
agcgacctgc acgcgcacaa gcttcgggtg gaccgggtca acttcaagct cctaagccac 480
tgcctgctgg tgaccctggc cgcccacctc cccgcccagt tcacccctgc ggtgcacgcc 540
tccctggaca agttcctggc ttctgtgagc accgtgctga cctccaaata ccgttaaact 600
agagggtatt aataatgtat cgcttaaata aggaggaata acatatggtg cacctgactc 660
ctgaggagaa gtctgccgtt actgccctgt gggcaaggt gaacgtggat gaagttggtg 720
gtgaggccct gggcaggctg ctggtggtct acccttgac ccagagggtt tttgagtcct 780
ttggggatct gtccactcct gatgctgttta tggcaaccc taaggtgaag gctcatggca 840
agaaagtgtc cggtgcctt agtgatggcc tggctcacct ggacaacctc aagggcacct 900
ttgccacact gagtgagctg cactgtgaca agctgcacgt ggatcctgag aacttcaggt 960
ggctaggcaa cgtgctggtc tgggtgttgg cccatcaatt tggcaaagaa ttcacccac 1020
cagtgcaggc tgcctatcag aaagtggtgg ctggtggttgc taatgccctg gcccacaagt 1080
atcactaaggc atgcacatgtt tttggcgat gagagaagat tttcagcctg atacagatta 1140